

GSR

2014

ANNEXURE A

VERSION 1/2014

MINIMUM PHYSICAL SECURITY STANDARDS NATIONAL KEY POINTS / CRITICAL INFRASTRUCTURE




SECRET

PHYSICAL SECURITY EVALUATIONS: NATIONAL KEY POINTS / CRITICAL INFRASTRUCTURE (NKP/CI)

| FACTORS INFLUENCING NATIONAL KEY POINTS AND CRITICAL INFRASTRUCTURE | FACTORS INFLUENCING NATIONAL KEY POINTS AND CRITICAL INFRASTRUCTURE |
|---|---|
| <u>Neighbourhood</u> | [REDACTED] |
| <u>Building appearance</u> | [REDACTED] |
| <u>Emergency Services</u> | [REDACTED] |
| <u>Crime statistics</u> | Determine the relevant crime statistics of the area. |
| <u>Vehicle Approaches</u> | [REDACTED] |

| | |
|---------------------|------------------------------|
| [REDACTED] | [REDACTED] |
| EXTERNAL & INTERNAL | ELEMENTS OF PROPERTY GROUNDS |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |

| | |
|--|-------------------------------|
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| <u>PERIMETER PROTECTION</u> | <u>MINIMUM SECURITY LEVEL</u> |
| Notes: [REDACTED] | [REDACTED] |
| <ul style="list-style-type: none">• <i>Relevant Municipal Bylaws must be taken into consideration during the physical security design.</i> | |



Perimeter Barrier Types
WALLS & FENCES


| | | |
|------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |





| | | | |
|--|------------|------------|--|
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |

| | | | |
|-------------------|-------------------|-------------------|--|
| | <p>[REDACTED]</p> | <p>[REDACTED]</p> | |
| | <p>[REDACTED]</p> | <p>[REDACTED]</p> | |
| <p>[REDACTED]</p> | <p>[REDACTED]</p> | | |

| | | | |
|---------------------------------|------------|------------|------------|
| | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| Security s ike rail: [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |








| | | | | |
|------------|------------|------------|------------|------------|
| | [REDACTED] | [REDACTED] | | |
| | [REDACTED] | | | |
| | [REDACTED] | | | |
| | [REDACTED] | | | |
| | [REDACTED] | | | |
| | [REDACTED] | | | |
| | [REDACTED] | | | |
| | [REDACTED] | | | |
| | [REDACTED] | | | |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |


| | | | |
|------------------------|---|------------|--|
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| CCTV [REDACTED] | CCTV cameras installed on the entire perimeter & at openings in the perimeter (vehicle & pedestrian gates). | | |
| [REDACTED] | [REDACTED] | | |

| <u>VEHICLE & PEDESTRIAN ENTRANCES</u> | <u>MINIMUM SECURITY LEVEL</u> |
|---|-------------------------------|
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |

| | |
|--------------------|-------------------------------|
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| <u>GUARD HOUSE</u> | <u>MINIMUM SECURITY LEVEL</u> |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| <u>Location</u> | [REDACTED] |


| | |
|---|---|
| [REDACTED] | [REDACTED] |
| Amount of members to be accommodated | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| Abiution facilities | Toilet, wash basin, cabinet, ventilation. |
| Kitchenette | Cabinet and hot water dispenser |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| Fire safety | [REDACTED] |












| | |
|--|-------------------|
| | <p>[REDACTED]</p> |
|--|-------------------|



| SECURITY ILLUMINATION | MINIMUM SECURITY LEVEL |
|-----------------------|------------------------|
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |

| | |
|---------------------------------|--------------------------------------|
| | <p>[REDACTED]</p> |
| <p>BUILDING EXTERIOR</p> | <p>MINIMUM SECURITY LEVEL</p> |
| <p>[REDACTED]</p> | <p>[REDACTED]</p> |

| | |
|--|--|
|  |  |
| <p>Security Gates</p>  |  |
| <p>Window frames</p>  |  |

| | |
|-------------------|-------------------|
| <p>[REDACTED]</p> | |
| <p>[REDACTED]</p> | <p>[REDACTED]</p> |

| BUILDING INTERIOR | MINIMUM SECURITY LEVEL |
|-------------------|------------------------|
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |

| | |
|------------|------------------------|
| [REDACTED] | [REDACTED] |
| [REDACTED] | MINIMUM SECURITY LEVEL |
| [REDACTED] | [REDACTED] |

| MINIMUM SECURITY LEVEL | |
|--------------------------------------|--|
| [REDACTED] | |
| MINIMUM SECURITY LEVEL | |
| Fire Protection [REDACTED] | |

| | |
|------------------------|------------|
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| CCTV [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] |



GSR

2014

ANNEXURE B

VERSION 1/2014

**MINIMUM PHYSICAL SECURITY STANDARDS
GOVERNMENT BUILDINGS / FACILITY / CAMPUS**



SECRET

PHYSICAL SECURITY EVALUATIONS: BUILDINGS / FACILITIES / CAMPUS (B/F/C)

| SITE LOCATION | FACTORS INFLUENCING BUILDING / FACILITY / CAMPUS SECURITY |
|----------------------------|---|
| <u>Neighbourhood</u> | [REDACTED] |
| <u>Building appearance</u> | [REDACTED] |
| <u>Emergency Services</u> | [REDACTED] |
| <u>Crime statistics</u> | Determine the relevant crime statistics of the area. |

| | |
|--------------------------------|-------------------------------------|
| <u>Vehicle Approaches</u> | [REDACTED] |
| <u>External Clear Zone</u> | [REDACTED] |
| <u>EXTERNAL & INTERNAL</u> | <u>ELEMENTS OF PROPERTY GROUNDS</u> |
| [REDACTED] | [REDACTED] |









| | | | |
|---|---|--|---|
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| PERIMETER PROTECTION | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|  <ul style="list-style-type: none">relevant Municipal Bylaws must be taken into consideration during the physical security design. |  |  |  |
| Perimeter Barrier Types WALLS & FENCES |  |  |  |

| | | | |
|--|---|--|---|
|  |  |  |  |
| <p>CRASH BARRIERS</p> <ul style="list-style-type: none">• Spike and boom rippers;  |  |  |  |
| <p>Plinth: </p> |  |  |  |

| | | | |
|---|------------|------------|------------|
| | [REDACTED] | [REDACTED] | [REDACTED] |
| Anti Climb & early warning solutions | [REDACTED] | [REDACTED] | [REDACTED] |
| Security spike rail: | [REDACTED] | [REDACTED] | [REDACTED] |
| Perimeter Intruder Detection Systems (PIDS): | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |

The table consists of four columns. The first column on the left is completely blacked out. The second, third, and fourth columns contain text that is mostly illegible due to heavy redaction and low resolution. The text appears to be organized into rows, with some lines of text spanning across the columns.

| | | | |
|---|------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| Man passable subterranean openings: [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| CCTV [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |


|  |  |  |  |
|---|---|--|---|
| VEHICLE & PEDESTRIAN ENTRANCES | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|  | No openings in vehicle-pedestrian entrance.  |  |  |
|  |  |  |  |
| Note: Possible van...  |  |  |  |


| | | | |
|------------|-----------------------------|------------|------------|
| | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | automate d | [REDACTED] | [REDACTED] |
| [REDACTED] | video intercom | [REDACTED] | [REDACTED] |
| [REDACTED] | automatic closing mechanism | [REDACTED] | [REDACTED] |

| GUARD HOUSE | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|---|--------------------|-----------------------|---------------------|
| Capability [REDACTED] | | [REDACTED] | [REDACTED] |
| Location [REDACTED] | | [REDACTED] | [REDACTED] |
| Amount of members to be accommodated [REDACTED] | | [REDACTED] | [REDACTED] |


| | | | |
|----------------------------|------------|---|---|
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| <u>Ablution facilities</u> | | Toilet, wash basin, cabinet, ventilation. | Toilet, wash basin, cabinet, ventilation. |
| <u>Kitchenette</u> | | Cabinet and hot water dispenser | Cabinet and hot water dispenser |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |

| | | | |
|--------------------|--------------------|-----------------------|---------------------|
| | | [REDACTED] | [REDACTED] |
| Fire safety | | [REDACTED] | [REDACTED] |
| [REDACTED] | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
| [REDACTED] | [REDACTED] | | |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |





| | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|--|--------------------|-----------------------|---------------------|
| | [REDACTED] | | |













| SECURITY ILLUMINATION | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|-----------------------|--------------------|-----------------------|---------------------|
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |

| | | | |
|-------------------------------------|---------------------------|------------------------------|----------------------------|
| | [REDACTED] | | |
| BUILDING EXTERIOR | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
| exterior doors [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |















| | | | |
|-----------------------|--|--|--|
| | | | |
| | | | |
| <u>Window glazing</u> | | | |
| | | | |

| | | | |
|--|---|--|--|
| <p><u>Sealed Insulated Glazing Units</u></p>  |  |  |  |
| <p><u>Window Safety Film</u></p>  | | | |


| BUILDING INTERIOR | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|---|--|---|--|
| <p>Internal doors & locking solutions</p>  <p>High security locking devices</p>  |  |  |  |

| SERVER ROOM | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|--------------------|--------------------|-----------------------|---------------------|
| [REDACTED] | | | |
| REGISTRY/MAIL ROOM | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
| [REDACTED] | | | |

| <u>ELECTRONIC SECURITY SYSTEMS</u> | <u>LOW SECURITY LEVEL</u> | <u>MEDIUM SECURITY LEVEL</u> | <u>HIGH SECURITY LEVEL</u> |
|--|---|--|---|
| <u>Fire Protection</u>  |  |  |  |
| <u>Smoke Detectors</u>  |  |  |  |
| <u>Intruder Detection Systems (IDS)</u>  |  |  |  |

| | | | |
|--------------------------|------------|------------|------------|
| | [REDACTED] | [REDACTED] | [REDACTED] |
| CCTV | [REDACTED] | [REDACTED] | [REDACTED] |
| observation | [REDACTED] | [REDACTED] | [REDACTED] |
| Retention periods | [REDACTED] | [REDACTED] | [REDACTED] |

| <u>Emergency power supplies</u>  |  |  |  |
|--|--|---|--|
| SAFE ROOM / HAVEN | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL | HIGH SECURITY LEVEL |
|  |  |  |  |

| | | | |
|--|--|--|--|
| | |  | |
|--|--|--|--|

GSR

2014

ANNEXURE C

VERSION 1/2014

MINIMUM PHYSICAL SECURITY STANDARDS RESIDENCES:







SECRET

PHYSICAL SECURITY EVALUATIONS: RESIDENCES: [REDACTED]

RESIDENTIAL ZONING PRINCIPALS



| SITE LOCATION | FACTORS INFLUENCING RESIDENTIAL SECURITY |
|----------------------------|--|
| <u>Neighbourhood</u> | [REDACTED] |
| <u>Building appearance</u> | [REDACTED] |
| <u>Emergency Services</u> | [REDACTED] |
| <u>Crime statistics</u> | Determine the relevant crime statistics of the area. |
| <u>Vehicle Approaches</u> | [REDACTED] |
| <u>External Clear Zone</u> | [REDACTED] |

| EXTERNAL & INTERNAL | ELEMENTS OF PROPERTY GROUNDS |
|---------------------------|--|
| |  |
| <u>Property grounds</u> |  |
| <u>Standoff distance</u> |  |
| <u>Unobstructed Space</u> |  |

| | | |
|-------------------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| PROPERTY GROUNDS | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |

| PERIMETER PROTECTION | | | |
|---|------------|------------|------------|
| <p>Notes:</p> <ul style="list-style-type: none">• <i>Relevant Municipal Bylaws must be taken into consideration during the physical security design.</i> | [REDACTED] | [REDACTED] | [REDACTED] |
| <p>Perimeter Barrier Types</p> <ul style="list-style-type: none">• [REDACTED] | [REDACTED] | [REDACTED] | [REDACTED] |

| | | |
|-----------------------------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] Security spike rail | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |


| | | |
|-----------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] |
| CCTV [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |



| <u>VEHICLE & PEDESTRIAN ENTRANCES</u> | | | |
|---|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |









| GUARD HUT | [REDACTED] | [REDACTED] |
|--|------------|------------|
| <p>Bullet Resistant Construction & Capability</p> <p>[REDACTED]</p> | [REDACTED] | [REDACTED] |



| | | |
|---|--|---|
| | | |
| <u>Location</u> | | [REDACTED] |
| [REDACTED] | | [REDACTED] |
| <u>Amount of members to be accommodated</u> | | [REDACTED] |
| <u>Control & monitoring equipment</u> | | [REDACTED] [REDACTED] |
| [REDACTED] | | [REDACTED] |
| <u>Ablution facilities</u> | | Toilet, wash basin, cabinet, ventilation. |
| <u>Kitchenette</u> | | Cabinet and hot water dispenser |

| | | |
|------------------------------|------------|------------|
| [REDACTED] | | [REDACTED] |
| <u>Communications</u> | | [REDACTED] |
| <u>Fire safety</u> | | [REDACTED] |
| <u>SECURITY ILLUMINATION</u> | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |

| | | | |
|--------------------------|------------|------------|--|
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| | [REDACTED] | [REDACTED] | |
| <u>BUILDING EXTERIOR</u> | [REDACTED] | [REDACTED] | |
| [REDACTED] | [REDACTED] | [REDACTED] | |

| | | |
|---|---|--|
|  |  |  |
| <p>Security Gates</p>  |  |  |





| | | |
|------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |


| | | |
|------------|------------|------------|
| [REDACTED] | | |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |

| | | |
|-------------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] |
| BUILDING INTERIOR | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |

| | | |
|--------------------------------------|--|--|
| [REDACTED] | [REDACTED] | [REDACTED] |
| Fire Protection [REDACTED] | Firefighting equipment must be supplied [REDACTED] | Firefighting equipment must be supplied [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |

| | | |
|------------|------------|------------|
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |
| [REDACTED] | [REDACTED] | [REDACTED] |

| | | |
|---|---|--|
| |  | |
|  |  |  |







CONFIDENTIAL

ANNEXURE B

STANDARD SPECIFICATIONS: PHYSICAL SECURITY EVALUATIONS: BUILDINGS



| PRERIMETER PROTECTION | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL |
|-----------------------|--------------------|-----------------------|
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |



| | | |
|---------------------|---|--|
| |  |  |
| |  |  |
| ILLUMINATION | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL |

CONFIDENTIAL

ANNEXURE B

| | | |
|-------------------------|--|--|
| |  |  |
| BURGLAR PROOFING | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL |

CONFIDENTIAL

ANNEXURE B

| | | |
|--|---------------------------|------------------------------|
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| ACCESS CONTROL POINTS TO A BUILDING | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL |

CONFIDENTIAL

ANNEXURE B

| | | |
|--|------------|------------|
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |

| | | |
|--------------------------------|---------------------------|------------------------------|
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |
| FIRE FIGHTING EQUIPMENT | LOW SECURITY LEVEL | MEDIUM SECURITY LEVEL |
| | [REDACTED] | [REDACTED] |

CONFIDENTIAL

ANNEXURE B

| | | |
|--|------------|------------|
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |

CONFIDENTIAL

ANNEXURE B

| | | |
|--|------------|------------|
| | [REDACTED] | [REDACTED] |
| | [REDACTED] | [REDACTED] |